



L Number	Hits	Search Text	DB	Time stamp
-	1	("6442685").PN.	USPAT	2002/10/25 . 11:07
-	1	("6208991").PN.	USPAT	2002/10/25
_	0	(m1::::::::::::::::::::::::::::::::::::	USPAT	11:10 2002/10/25
_	0	\	USPAT	11:11 2002/10/25
_	59	(-2	USPAT	11:11 2002/10/25
_	1	server) (dynamic\$5 with modify\$3) and (set adj5	USPAT	11:13 2002/10/25
-	33	(-2	USPAT	11:16 2002/10/25
-	35		USPAT	11:23 2002/10/25
		server) and (fail\$over or (fail adj4 over))		11:25
-	25	name) and (fail\$over or (fail adj4 over))	USPAT	2002/10/25 11:26
-	19	(dynamic\$5) and (modify\$3) and (set adj5 name) and (fail\$over or (fail adj4 over)) and (cluster\$3)	USPAT	2002/10/25 11:30
-	225		USPAT	2002/10/25 11:30
-	90	1 '	USPAT	2002/10/25
-	6	(fail\$over or (fail adj4 over)) and (cluster\$3) and (dynamic\$4 same modify\$3)	USPAT	2002/10/25 12:42
-	41	and 709/\$.ccls. (fail\$over or (fail adj4 over)) and (cluster\$3) and (dynamic\$4) and	USPAT	2002/10/25 11:50
_	1	(modify\$3) and 709/\$.ccls. ("6393485").PN.	USPAT	2002/10/25
-	1	"6195680".PN.	USPAT	11:37 2002/10/25
_	1	"5748883".PN.	USPAT	11:39 2002/10/25
-	1	"5732206".PN.	USPAT	11:39 2002/10/25 11:39
_	1	"5727206".PN.	USPAT	2002/10/25 11:40
_	1	"5666486".PN.	USPAT	2002/10/25
-	1	"5600791".PN.	USPAT	2002/10/25
_	1	"5426774".PN.	USPAT	2002/10/25
-	1	"5136498".PN.	USPAT	11:41 2002/10/25 11:42
-	20	(fail\$over or (fail adj4 over)) and (cluster\$3) and (dynamic\$4) and ((modif\$4	USPAT	2002/10/25 11:53
_	0	or updat\$3) same name) and 709/\$.ccls.	USPAT	2002/10/25
		<pre>(cluster\$3) and (dynamic\$4) and ((modif\$4 or updat\$3) with (server near3 name))</pre>		11:53
-	0	(fail\$over or (fail adj4 over)) and (cluster\$3) and ((modif\$4 or updat\$3)	USPAT	2002/10/25 11:53
-	10		USPAT	2002/10/25
-	2	over))) and ((dynamic\$4 same modify\$3)	USPAT	11:54 2002/10/25 12:07
_	0	(= (USPAT	2002/10/25
-	59	'	USPAT	12:08
-	32	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT	12:32 2002/10/25
	l	over))) same server)	L	12:33

Search History 1/17/04 5:29:42 PM





_	70	(cluster\$3) and (dynamic\$4) and	USPAT	2002/10/28 11:50
-	13	709/\$.ccls. (fail\$over or (fail adj4 over)) and (cluster\$3) and (dynamic\$4 with modif\$5)	USPAT	2002/10/28 11:55
-	35	(fail\$over or (fail adj4 over)) and (cluster\$3) and (dynamic\$4) and (set with	USPAT	2002/10/28 12:03
_	61	name) (fail\$over or (fail\$2 adj4 over)) and (cluster\$3) and ((fail\$back) or (fail\$2	USPAT	2002/10/28 14:43
_	18	adj5 back)) (fail\$over or (fail\$2 adj4 over)) and (cluster\$3) and ((fail\$back) or (fail\$2	USPAT	2002/10/28 13:26
_	0	adj5 back)) and (resourc\$3 near5 allocat\$3) (dynamic\$4 with assign\$3) and ((first	USPAT	2002/10/28
	Ŭ	adj4 set) with server) and ((second adj4 set) with server) and (fail\$over or	OSPAT	14:12
-	0	(server adj3 name)) and (second with (server adj3 name)) and (fail\$over or	USPAT	2002/10/28 14:15
_	3	<pre>(fail\$2 adj3 over)) (dynamic\$4 with assign\$3) and (first adj4 set) and (second adj4 set) and (fail\$over</pre>	USPAT	2002/10/28 14:17
-	0	or (fail\$2 adj3 over)) (dynamic\$4 near5 assign\$3) and ((first adj4 set) same server) and ((second adj4	USPAT	2002/10/28 15:13
_	0		USPAT	2002/10/28
_	0	<pre>same ((server adj4 name) or server\$name)) and (fail\$over or (fail\$2 adj3 over)) (dynamic\$4 near5 (assign\$3 or modif\$4))</pre>	USPAT	2002/10/28
		<pre>and (set same ((server adj4 name) or server\$name)) and (fail\$over or (fail\$2 adj3 over))</pre>		14:25
-	54	(dynamic\$4 near5 (assign\$3 or modif\$4)) and (fail\$over or (fail\$2 adj3 over))	USPAT	2002/10/28 14:29
_	1	("5938732").PN.	USPAT	2002/10/28
-	28	<pre>(resourc\$3 near5 allocat\$3) and (first adj4 server) and (second adj4 server) and ((fail\$over) or (fail\$2 adj4 over))</pre>	USPAT	2002/10/28 14:53
-	1	("6067545").PN.	USPAT	2002/10/28 14:53
-	32	<pre>(dynamic\$4 near5 (assign\$3 or modif\$4)) and ((first adj4 set) same server) and ((second adj4 set)same server)</pre>	USPAT	2002/10/28 15:21
-	0		USPAT	2002/10/28 15:26
-	0	(dynamic\$4 near5 (assign\$3 or modif\$4)) and ((first adj4 server) with (set adj5 name)) and ((fail\$over) and (fail\$2 adj3	USPAT	2002/10/28 15:29
-	0	name)) and ((fail\$over) and (fail\$2 adj3	USPAT	2002/10/28 15:30
-	16	_ , , , , , , , , , , , , , , , , , , ,	USPAT	2002/10/28
-	1	adj3 over))) "6044465".PN.	USPAT	15:30 2002/10/28
-	1	"5978577".PN.	USPAT	15:35 2002/10/28
-	1	"5617570".PN.	USPAT	15:36 2002/10/28 15:36
-	1	"5167035".PN.	USPAT	2002/10/28 15:37
-	146	(load adj3 balanc\$3) and (fail\$over or (fail\$2 adj2 over))	USPAT	2002/10/28 15:50





-	73	(load adj3 balanc\$3) and (fail\$over or	USPAT	2002/10/29
_	1	(fail\$2 adj2 over)) and 709/\$.ccls. ("5938732").PN.	USPAT	12:03 2002/10/28
			00000	17:48
-	1	"5379418".PN.	USPAT	2002/10/28 16:34
_	1	"5005122".PN.	USPAT	2002/10/28
	_			16:35
-	1	"5089958".PN.	USPAT	2002/10/28 16:35
-	1	("6134673").PN.	USPAT	2002/10/28
	0	//2 and add 2 halland (2) add (2 halland (2))		17:48
-	· ·	((load adj3 balanc\$3) with (services adj5 simultaneously)) and (fail\$over or	USPAT	2002/10/29
		(fail\$2 adj2 over)) and 709/\$.ccls.		
-	0	((load adj3 balanc\$3) with (services adj5 simultaneously)) and (fail\$over or	USPAT	2002/10/29 12:04
		(fail\$2 adj2 over))		12.04
-	22		USPAT	2002/10/29
_	1	and (fail\$over or (fail\$2 adj2 over)) ("6088796").PN.	USPAT	14:30 2002/10/29
				15:22
-	1	("6134673").PN.	USPAT	2002/10/29 15:27
_	1	samba and tcp and netbios	USPAT	2002/10/30
		- (US 00 7 CO 1 U)		14:31
-	4	(("5987621") or ("5938732") or ("6134673") or ("6088796")).PN.	USPAT	2002/10/30 14:31
_	2	(("5938732") or ("6134673")).PN.	USPAT	2002/11/01
	0	(" (" othics) and (set adid server) and	HCDAM.	14:28
-		("(netbios) and (set adj4 server) and (fail\$over) and ((primary or secondary)	USPAT; US-PGPUB	2003/04/09
	_	adj3 server)").PN.		
-	2	(netbios) and (set adj4 server) and (fail\$over) and ((primary or secondary)	USPAT; US-PGPUB	2003/04/09
		adj3 server)	OS TOTOB	
-	1	"6243825".PN.	USPAT	2003/04/09
_	1	"6219799".PN.	USPAT	15:24 2003/04/09
	_			15:26
-	1	"6134673".PN.	USPAT	2003/04/09
-	1	"5862331".PN.	USPAT	2003/04/09
1_	1	"5852724".PN.	USPAT	15:27
}		3032724 .IN.	OSTAT	15:28
-	1	"5781716".PN.	USPAT	2003/04/09
_	1	"5742598".PN.	USPAT	15:29 2003/04/09
				15:30
-	1	"5729689".PN.	USPAT	2003/04/09 15:30
-	1	"5313635".PN.	USPAT	2003/04/09
1_	1	"5434974" DN	HEDAT	15:30 2003/04/09
_	1	"5434974".PN.	USPAT	15:31
-	1	"5454078".PN.	USPAT	2003/04/09
_	1	"5642515".PN.	USPAT	15:31 2003/04/09
				15:31
-	1	"5706517".PN.	USPAT	2003/04/09
-	1	"6243825".PN.	USPAT	2003/04/09
1_	1	"6210700" PM	HEDAT	15:32
1	1	"6219799".PN.	USPAT	2003/04/09 15:33
-	1	"6134673".PN.	USPAT	2003/04/09
_	1	"5862331".PN.	USPAT	15:35 2003/04/09
				15:36
-	1	"5852724".PN.	USPAT	2003/04/09 15:37
L	L	<u> </u>	<u>L</u>	1 13.31





-	1	"5781716".PN.	USPAT	2003/04/09
	1	"5777989".PN.	USPAT	15:38 2003/04/09
	1	3111909 .PN.	USPAT	15:38
-	1	"5742598".PN.	USPAT	2003/04/09 15:39
-	2	(netbios) and (set adj4 server) and	USPAT;	2003/04/09
		(fail\$5over) and ((primary or secondary) adj3 server)	US-PGPUB	15:40
-	30	(netbios) and (set adj4 server) and (fail	USPAT;	2003/04/09
		over) and ((primary or secondary) adj3 server)	US-PGPUB	15:51
-	2	(netbios) and (set adj4 server) and (fail	USPAT;	2003/04/09
		adj2 over) and ((primary or secondary) adj3 server)	US-PGPUB	15:52
-	30	(netbios) and (set adj4 server) and	USPAT;	2003/04/09
_	2	((primary or secondary) adj3 server) (netbios) and ((fail\$3 near2 over) or	US-PGPUB USPAT;	15:55 2003/04/09
	_	(fail\$over)) and ((primary or secondary)	US-PGPUB	15:56
_	2	adj3 server) (netbios) and ((fail\$3 near2 over) or	USPAT;	2003/04/09
		(fail\$over)) and ((server adj2 name)	US-PGPUB	17:01
_	3	near3 set) ((fail\$3 near2 over) or (fail\$over)) and	USPAT;	2003/04/09
	100	((server adj2 name) near3 set)	US-PGPUB	15:58
_	128	((fail\$3 near2 over) or (fail\$over)) and (name near3 set) and server	USPAT; US-PGPUB	2003/04/09
-	6	((fail\$3 near2 over) or (fail\$over)) and	USPAT;	2003/04/09
_	1	(name near3 set) and server and netbios ("6219799").PN.	US-PGPUB USPAT;	16:04 2003/04/09
			US-PGPUB	16:18
-	1	"5781716".PN.	USPAT	2003/04/09 16:04
-	1	"5748980".PN.	USPAT	2003/04/09
-	1	"5729689".PN.	USPAT	2003/04/09 16:04
-	1	"5642515".PN.	USPAT	2003/04/09
-	1	"5633999".PN.	USPAT	2003/04/09
-	1	"5592611".PN.	USPAT	2003/04/09 16:06
-	1	"5596723".PN.	USPAT	2003/04/09 16:08
-	1	"5633999".PN.	USPAT	2003/04/09
-	1	("5852724").PN.	USPAT;	2003/04/09
_	1	"5675723".PN.	US-PGPUB USPAT	16:23 2003/04/09
-	1	"5668943".PN.	USPAT	16:18 2003/04/09
-	1	"5652908".PN.	USPAT	16:19 2003/04/09
_	1	"5566297".PN.	USPAT	16:19 2003/04/09
_	1	"5566297".PN.	USPAT	16:19 2003/04/09
-	1	"5526492".PN.	USPAT	16:20 2003/04/09
-	1	"5408649".PN.	USPAT	16:20 2003/04/09
-	1	"5390324".PN.	USPAT	16:20 2003/04/09
-	1	("6134673").PN.	USPAT;	16:20 2003/04/09
_	1	"5936960".PN.	US-PGPUB USPAT	16:50 2003/04/09
_	1	"5922060".PN.	USPAT	16:24 2003/04/09
	<u> </u>	0,22000 1111.		16:24





		[M = 2 - 2 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
-	1	"5913034".PN.	USPAT	2003/04/09 16:24
-	1	"5913034".PN.	USPAT	2003/04/09
-	1	"5907672".PN.	USPAT	16:24 2003/04/09
-	1	"5905867".PN.	USPAT	16:24 2003/04/09
_	1	"5898888".PN.	USPAT	16:25 2003/04/09
_	1	"5892928".PN.	USPAT	16:25 2003/04/09
_	1	"5884027".PN.	USPAT	16:25 2003/04/09
-	2	(("6219799") or ("5852724")).PN.	USPAT;	16:25 2003/04/09
-	5	(netbios) and ((server adj2 name) near3	US-PGPUB USPAT; US-PGPUB	16:50 2003/04/09 17:03
-	91	(netbios) and (set adj3 server)	USPAT; US-PGPUB	2003/04/09 17:03
-	65	(netbios) and (set adj3 server) and name	USPAT; US-PGPUB	2003/04/09 17:04
_	35	(netbios) and (set adj3 server) and (server adj2 name)	USPAT; US-PGPUB	2003/04/09 17:07
-	109	(set adj3 (server near3 name))	USPAT; US-PGPUB	2003/04/09
-	6	(set adj3 (server near3 name)) and net\$bios	USPAT; US-PGPUB	2003/04/09 17:08
-	27	<pre>((first or second) same (set adj3 (server near3 name)))</pre>	USPAT; US-PGPUB	2003/04/09 17:12
-	7	((set adj3 (server near3 name))) and ((fail\$3 adj2 over) or fail\$over)	USPAT; US-PGPUB	2003/04/09 17:13
-	1	((addition or removal) with (network adj2 name)).ti.	USPAT; US-PGPUB	2003/04/09 17:22
-	1	("6134673").PN.	USPAT; US-PGPUB	2003/04/09 17:29
_	1	"5875307".PN.	USPAT	2003/04/09 17:26
_	1	"5875310".PN.	USPAT	2003/04/09 17:26
_	1	"5878237".PN.	USPAT	2003/04/09 17:26
-	1	"5878238".PN.	USPAT	2003/04/09 17:26
-	1	"5881311".PN.	USPAT	2003/04/09 17:26
-	1	"5884027".PN.	USPAT	2003/04/09 17:26
-	1	"5889965".PN.	USPAT	2003/04/09 17:26
-	1	"5892928".PN.	USPAT	2003/04/09
_	1	"5913034".PN.	USPAT	2003/04/09
_	1	"5812858".PN.	USPAT	2003/04/09
_	1	"5815647".PN	USPAT	2003/04/09
	1	"5821596".PN.	USPAT	2003/04/09
	1	"5835738".PN.	USPAT	2003/04/09
	1	"5838932".PN. ("6442685").PN.	USPAT;	2003/04/09 17:27 2003/04/09
	1	"5852724".PN.	US-PGPUB US-PAT	2003/04/09 17:45 2003/04/09
_	10	pseudo\$names	USPAT;	2003/04/09 17:29 2003/04/09
			US-PGPUB	17:45
	4	(set adj3 (server near3 name)) and 714/\$.ccls.	USPAT; US-PGPUB	2003/04/09 17:49





-	13	(set adj3 (server near3 name)) and	USPAT;	2003/04/09
		713/\$.ccls.	US-PGPUB	17:52
-	8	(set adj3 (server near3 name)) and	USPAT;	2003/04/10
		709/220.ccls.	US-PGPUB	09:13
-	6	(set adj3 (server near3 name)) and	USPAT;	2003/04/10
	i	netbios	US-PGPUB	09:14
-	17	(set with (server near3 name)) and	USPAT;	2003/04/10
		netbios	US-PGPUB	09:17
_	20	(set with (server near3 name)) and	USPAT;	2003/04/10
		(fail\$over)	US-PGPUB	09:18
_	20		USPAT;	2003/04/10
		(fail\$3 adj2 over)	US-PGPUB	09:19
-	432	(set with (server near3 name))	USPAT;	2003/04/10
			US-PGPUB	09:19
] -	73	(set adj3 (server near3 name)) and	USPAT;	2003/04/10
		709/\$.ccls.	US-PGPUB	10:02
-	6	((set or plurality) adj3 (server near3	USPAT;	2003/04/10
1		name)) and (fail\$over)	US-PGPUB	10:03
-	7	((set or plurality) adj3 (server near3	USPAT;	2003/04/10
		name)) and netbios	US-PGPUB	10:41
-	1	("6219799").PN.	USPAT;	2003/04/10
			US-PGPUB	11:00
-	1	("6134673").PN.	USPAT;	2003/04/10
	}		US-PGPUB	13:58
-	1	("5852724").PN.	USPAT;	2003/04/10
	1		US-PGPUB	11:37
-	1	"5675723".PN.	USPAT	2003/04/10
				11:55
-	1	"5668943".PN.	USPAT	2003/04/10
				11:55
-	1	"5652908".PN.	USPAT	2003/04/10
				11:56
_	1	"5566297".PN.	USPAT	2003/04/10
				11:56
-	1	"5526492".PN.	USPAT	2003/04/10
				11:57
-	1	"5408649".PN.	USPAT	2003/04/10
				11:57
-	5		USPAT;	2003/04/10
		("5852724") or ("20030051010") or	US-PGPUB	13:58
	}	("6442685")).PN.		